

385, ), & \$ 7 ( 8 5

: 2 2 ' 6 \* 5 \$ 1

/ 8 & + 7 5 ( , 1 , \* ( 5

/H :RRG\$1 HVW XQ SURGXLW  
UpYROXWLRQQDLUH TXL YD YRXV SURFXUHU  
OH PHLOOHXU FOLPDW SRVVIFOH i  
O.LQWpULHXU GH YRWI  
EXUHDX\$H YD VXSSUL  
PDXYDLVHV RGHXUV H  
TXH SXULILHU O.DLU  
QRFLYHV JUKFH DX ILOV  
,21 +(3\$

/H SXULILFDW\$H G.HL'  
LGpDO SRXU WUDLWHU  
Pñ ,O HVW VSpFLDO  
SRXU SXULILHU HW DVV  
HW OXWWHU HIILFDHF  
V\PSW{PHV G.DOOHUJL  
GHV SROOHQV  
FKDPSLJQRQV VXLHV I  
EDFWpULHV HW VSRUH'  
PLFURQV PD\$UPPHC  
GDQV YRWUH LQWpULHX  
+(3\$

8Q ILOWUH FKDUERQ SHxw rWUH DMRXWp  
SRXU pOLPLQHU OHV RGHXUV



'H :RRG\$1 LV HHQ UHYROXWL  
SURGXFW GDW JDO GH EHVW  
NOLPDDW LQ XZ KXLV RI  
FRQWUROH\$HQ 'JDO JHXUWMH  
YHUZLMGHUHQ WHJHOLMNHUW  
GH OXFKW YDQ VFKDGHOLMNH  
JHSDWHQWHHUGH ,21 DFWLHYH  
'H]H OXFKWUHLQLJHU LV LGHD  
WRW PD[LPPDOWH EHKDQGHOH  
/XFKW]XLYHULQJ\$V\$QVWDDODWL  
VSHFLDDO RQWZRUSHQ RP XZ  
]XLYHUHQ HQ HIIHFWLHI WHJH  
V\PSWRPHQ WH YHFK  
+HW YHUZLMGHYDQ SROOHQV VV  
VFKLPPHOV URHW URRN  
EDFWHULsQ HQ VFKLPPH  
PD[LPP PL\$LRQDDQZH]LJ  
]LMQ LQ XZ UXLW\$H P\$WHHWHQ  
2P JHUHXNHQ WH YHUZLMGHU  
NRROILOWHU WRHJHYRHJG ZRU

**Approuvé par le SF Santé / Door FOD Gezondheidsraad**

' 2 1 1 e ( 6 7 ( & + 1 , 4 8 ( 6

7 ( & + 1 , 6 & + ( \* ( \* ( 9 ( 1 6

ROXPH PD[LPP FR	*HDGYLVHHUGH
3XULILFD	5HLQLJI
)LOWI +(3	)LOW
'pELW G.DL	/XFKWGHELI
3ODJH GH WHPSI	:HUNLQJVWHPSI
9LWHV\YHQWL	6QHOKHLG YDQ
7HQVLI [	6SDQQL
3XLVVDQFH DEV	9HUEUXL
1LYHDX GH E	*HOXLGVQL\
3RLG\	*HZLFK\
'LPHQVLRQV + [ [	\$IPHWLQJH PP
2SW &DUERQ	2SW

+LJK (IILFLHQF\ 3DUWLFXODWH \$LU